



RH

Rotator hook

Rotatorkrok

Rotatorlasthaken

Crochet pour rotators



RH 50/50 RH 50/59 RH 50/69 RH 80/59 RH 80/69 RH 80/78

A	87	98	98	98	98	117
B	225	230	230	267	267	277
C	25	30	30	30	30	35
D	50	59	69	59	69	78
E	42	42	42	49	49	49
 Kg	7	8,5	8	10,5	10	13,5
 Ton	5	5	5	8	8	8

INTERMERCATO AB
SE-272 93 TOMMARP
Sweden

Tel +46 414 205 25
Fax +46 414 205 60

www.intermercato.com
info@intermercato.com



ORH

Rotator hook

Rotatorkrok

Rotatorlasthaken

Crochet pour rotators



ORH 80/59 ORH 80/69 ORH 100/78

A	98	98	120
B	271,5	231	284
C	30	30	35
D	59,3	69,3	78
E	49	49	59
Kg	9	8,5	14
Ton	5	5	10

INTERMERCATO AB
SE-272 93 TOMMARP
Sweden

Tel +46 414 205 25
Fax +46 414 205 60

www.intermercato.com
info@intermercato.com




ARH 30

Hydraulic rotator hook
With pilot operated check valve

Hydraulisk rotatorkrok
Med lasthållningsventil

Hydraulischer rotatorlasthaken
Mit Lasthalteventil

Crochet hydraulique pour rotators
Avec clavier de sécurité



Weight – Gewicht – Poids – Vikt

Max load cap - Maxbelastning - Max Belastung - Charge max

Closing speed - Stängningshastighet - Schliessgeschw - Vitesse de fermeture (4 l/min)

Opening speed - Öppningshastighet - Öffnungsgeschw - Vitesse d'ouverture (4 l)

Rotator shaft - Rotatoraxel - Rotatorwelle - Arbre du rotator

16 kg

3 000 kg

2,2 sec

1,5 sec

59(69)/30

INTERMERCATO AB
SE-272 93 TOMMARP
Sweden

Tel +46 414 205 25
Fax +46 414 205 60

www.intermercato.com
info@intermercato.com